

NOTES:

- 1. USE WHERE EXISTING ASPHALT CONCRETE IS CUT TO INSTALL NEW CURB AND THE NEW CURB AND GUTTER LOCATION IS 3' OR LESS FROM THE EDGE OF EXISTING ASPHALT CONCRETE.
- 2. COMPACT SUBGRADE MATERIAL TO MINIMUM 95% COMPACTION FOR A DEPTH OF 12", EXCEPT AS OTHERWISE SPECIFIED.
- 3. COMPACT AGGREGATE BASE MATERIAL TO A MINIMUM OF 95% RELATIVE COMPACTION.
- 4. ALL CONCRETE CURB AND GUTTER TO BE CLASS 520-C-2500 PCC.
- 5. SAW CUT ALONG LIP OF GUTTER MAY BE APPROVED BY AGENCY INSPECTOR.
- 6. TACK COAT ALL SURFACES TO BE PAVED ON OR AGAINST.
- 7. MATCH EXISTING ASPHALT PAVEMENT WITH MINIMUM OF 3" THICK ASPHALT PAVEMENT.

